ELSEVIER

Hearing Research 182 (2003) 164–165

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 182

Bartolomé, M.V., see Vicente-Torres, M.A. (182) 43
Bassim, M.K., Miller, R.L., Buss, E. and Smith, D.W.
Rapid adaptation of the $2f_1$–f_2 DPOAE in humans: Binaural and contralateral stimulation effects (182) 140
Boëx, C., see de Balthasar, C. (182) 77
Buss, E., see Bassim, M.K. (182) 140

Carricondo, F., see Vicente-Torres, M.A. (182) 43
Cosendai, G., see de Balthasar, C. (182) 77

Dávila, D., see Vicente-Torres, M.A. (182) 43
de Balthasar, C., Boëx, C., Cosendai, G., Valentini, G., Sigrist, A. and Pelizzone, M.
Channel interactions with high-rate biphasic electrical stimulation in cochlear implant subjects (182) 77

Evans, E.F., see Morse, R.P. (182) 97

Ferraresi, A., see Sergi, B. (182) 56
Fetoni, A.R., see Sergi, B. (182) 56
Fuchs, J., see Mazurek, B. (182) 2

Gil-Loyzaga, P., see Vicente-Torres, M.A. (182) 43
Gross, J., see Mazurek, B. (182) 2
Guzik, H., see Sinex, D.G. (182) 130

Hale, S., see Salt, A.N. (182) 24
Hatzopoulos, S., Petruccelli, J., Laurell, G., Previati, M. and Martini, A.
Electrophysiological findings in the Sprague–Dawley rat induced by moderate-dose carboplatin (182) 48
Haupt, H., see Mazurek, B. (182) 2
Henderson Sabes, J., see Sinex, D.G. (182) 130
Hultcrantz, M., see Stenberg, A.E. (182) 19

Inouye, S., see Sugahara, K. (182) 88
Izu, H., see Sugahara, K. (182) 88

Kakigi, A., see Takeda, T. (182) 9
Katoh, Y., see Sugahara, K. (182) 88
Katsuki, K., see Sugahara, K. (182) 88
Kellner, C., see Salt, A.N. (182) 24
Kennedy, C.R., see Thornton, A.R.D. (182) 65
Kimm, L., see Thornton, A.R.D. (182) 65
Kitano, H., see Takeda, T. (182) 9

Ladich, F. and Wysocki, L.E.
How does tripus extirpation affect auditory sensitivity in goldfish? (182) 119
Laurell, G., see Hatzopoulos, S. (182) 48
Li, H., see Sinex, D.G. (182) 130

Martini, A., see Hatzopoulos, S. (182) 48
Mazurek, B., Winter, E., Fuchs, J., Haupt, H. and Gross, J.
Susceptibility of the hair cells of the newborn rat cochlea to hypoxia and ischemia (182) 2
Miller, R.L., see Bassim, M.K. (182) 140
Moore, B.C.J. and Moore, G.A.
Discrimination of the fundamental frequency of complex tones with fixed and shifting spectral envelopes by normally hearing and hearing-impaired subjects (182) 153
Moore, G.A., see Moore, B.C.J. (182) 153
Morse, R.P. and Evans, E.F.
The sciatic nerve of the toad *Xenopus laevis* as a physiological model of the human cochlear nerve (182) 97

Nakai, A., see Sugahara, K. (182) 88

Paludetti, G., see Sergi, B. (182) 56
Pelizzone, M., see de Balthasar, C. (182) 77
Petruccelli, J., see Hatzopoulos, S. (182) 48
Plontke, S.K.R. and Salt, A.N.
Quantitative interpretation of corticosteroid pharmacokinetics in inner fluids using computer simulations (182) 34
Previati, M., see Hatzopoulos, S. (182) 48

Sahlin, L., see Stenberg, A.E. (182) 19
Salt, A.N., see Plontke, S.K.R. (182) 34
Salt, A.N., Kellner, C. and Hale, S.
Contamination of perilymph sampled from the basal cochlear turn with cerebrospinal fluid (182) 24
Sawada, S., see Takeda, T. (182) 9
Sergi, B., Ferraresi, A., Troiani, D., Paludetti, G. and Fetoni, A.R.
Cisplatin ototoxicity in the guinea pig: vestibular and cochlear damage (182) 56
Shimogori, H., see Sugahara, K. (182) 88
Sigrist, A., see de Balthasar, C. (182) 77
Simonoska, R., see Stenberg, A.E. (182) 19
Sinex, D.G., Guzik, H., Li, H. and Henderson Sabes, J.
Responses of auditory nerve fibers to harmonic and mistuned complex tones (182) 130
Smith, D.W., see Bassim, M.K. (182) 140
Stenberg, A.E., Simonoska, R., Stygar, D., Sahlin, L. and Hultcrantz, M.
Effect of estrogen and antiestrogens on the estrogen receptor content in the cochlea of ovariectomized rats (182) 19
Stygar, D., see Stenberg, A.E. (182) 19
Sugahara, K., Inouye, S., Izu, H., Katoh, Y., Katsuki, K., Takemoto, T., Shimogori, H., Yamashita, H. and Nakai, A.
Heat shock transcription factor HSF1 is required for survival of sensory hair cells against acoustic overexposure (182) 88
Suzuki, M., see Takeda, T. (182) 9

Takeda, S., see Takeda, T. (182) 9
Takeda, T., Sawada, S., Takeda, S., Kitano, H., Suzuki, M., Kakigi, A. and Takeuchi, S.
The effects of V_2 antagonist (OPC-31260) on endolymphatic hydrops (182) 9
Takemoto, T., see Sugahara, K. (182) 88

doi:10.1016/S0378-5955(03)00247-8

ELSEVIER

Hearing Research 182 (2003) 164–165

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 182

Bartolomé, M.V., see Vicente-Torres, M.A. (182) 43
Bassim, M.K., Miller, R.L., Buss, E. and Smith, D.W.
Rapid adaptation of the $2f_1$–f_2 DPOAE in humans: Binaural and contralateral stimulation effects (182) 140
Boëx, C., see de Balthasar, C. (182) 77
Buss, E., see Bassim, M.K. (182) 140

Carricondo, F., see Vicente-Torres, M.A. (182) 43
Cosendai, G., see de Balthasar, C. (182) 77

Dávila, D., see Vicente-Torres, M.A. (182) 43
de Balthasar, C., Boëx, C., Cosendai, G., Valentini, G., Sigrist, A. and Pelizzone, M.
Channel interactions with high-rate biphasic electrical stimulation in cochlear implant subjects (182) 77

Evans, E.F., see Morse, R.P. (182) 97

Ferraresi, A., see Sergi, B. (182) 56
Fetoni, A.R., see Sergi, B. (182) 56
Fuchs, J., see Mazurek, B. (182) 2

Gil-Loyzaga, P., see Vicente-Torres, M.A. (182) 43
Gross, J., see Mazurek, B. (182) 2
Guzik, H., see Sinex, D.G. (182) 130

Hale, S., see Salt, A.N. (182) 24
Hatzopoulos, S., Petruccelli, J., Laurell, G., Previati, M. and Martini, A.
Electrophysiological findings in the Sprague–Dawley rat induced by moderate-dose carboplatin (182) 48
Haupt, H., see Mazurek, B. (182) 2
Henderson Sabes, J., see Sinex, D.G. (182) 130
Hultcrantz, M., see Stenberg, A.E. (182) 19

Inouye, S., see Sugahara, K. (182) 88
Izu, H., see Sugahara, K. (182) 88

Kakigi, A., see Takeda, T. (182) 9
Katoh, Y., see Sugahara, K. (182) 88
Katsuki, K., see Sugahara, K. (182) 88
Kellner, C., see Salt, A.N. (182) 24
Kennedy, C.R., see Thornton, A.R.D. (182) 65
Kimm, L., see Thornton, A.R.D. (182) 65
Kitano, H., see Takeda, T. (182) 9

Ladich, F. and Wysocki, L.E.
How does tripus extirpation affect auditory sensitivity in goldfish? (182) 119
Laurell, G., see Hatzopoulos, S. (182) 48
Li, H., see Sinex, D.G. (182) 130

Martini, A., see Hatzopoulos, S. (182) 48
Mazurek, B., Winter, E., Fuchs, J., Haupt, H. and Gross, J.
Susceptibility of the hair cells of the newborn rat cochlea to hypoxia and ischemia (182) 2
Miller, R.L., see Bassim, M.K. (182) 140
Moore, B.C.J. and Moore, G.A.
Discrimination of the fundamental frequency of complex tones with fixed and shifting spectral envelopes by normally hearing and hearing-impaired subjects (182) 153
Moore, G.A., see Moore, B.C.J. (182) 153
Morse, R.P. and Evans, E.F.
The sciatic nerve of the toad *Xenopus laevis* as a physiological model of the human cochlear nerve (182) 97

Nakai, A., see Sugahara, K. (182) 88

Paludetti, G., see Sergi, B. (182) 56
Pelizzone, M., see de Balthasar, C. (182) 77
Petruccelli, J., see Hatzopoulos, S. (182) 48
Plontke, S.K.R. and Salt, A.N.
Quantitative interpretation of corticosteroid pharmacokinetics in inner fluids using computer simulations (182) 34
Previati, M., see Hatzopoulos, S. (182) 48

Sahlin, L., see Stenberg, A.E. (182) 19
Salt, A.N., see Plontke, S.K.R. (182) 34
Salt, A.N., Kellner, C. and Hale, S.
Contamination of perilymph sampled from the basal cochlear turn with cerebrospinal fluid (182) 24
Sawada, S., see Takeda, T. (182) 9
Sergi, B., Ferraresi, A., Troiani, D., Paludetti, G. and Fetoni, A.R.
Cisplatin ototoxicity in the guinea pig: vestibular and cochlear damage (182) 56
Shimogori, H., see Sugahara, K. (182) 88
Sigrist, A., see de Balthasar, C. (182) 77
Simonoska, R., see Stenberg, A.E. (182) 19
Sinex, D.G., Guzik, H., Li, H. and Henderson Sabes, J.
Responses of auditory nerve fibers to harmonic and mistuned complex tones (182) 130
Smith, D.W., see Bassim, M.K. (182) 140
Stenberg, A.E., Simonoska, R., Stygar, D., Sahlin, L. and Hultcrantz, M.
Effect of estrogen and antiestrogens on the estrogen receptor content in the cochlea of ovariectomized rats (182) 19
Stygar, D., see Stenberg, A.E. (182) 19
Sugahara, K., Inouye, S., Izu, H., Katoh, Y., Katsuki, K., Takemoto, T., Shimogori, H., Yamashita, H. and Nakai, A.
Heat shock transcription factor HSF1 is required for survival of sensory hair cells against acoustic overexposure (182) 88
Suzuki, M., see Takeda, T. (182) 9

Takeda, S., see Takeda, T. (182) 9
Takeda, T., Sawada, S., Takeda, S., Kitano, H., Suzuki, M., Kakigi, A. and Takeuchi, S.
The effects of V_2 antagonist (OPC-31260) on endolymphatic hydrops (182) 9
Takemoto, T., see Sugahara, K. (182) 88

doi:10.1016/S0378-5955(03)00247-8

Takeuchi, S., see Takeda, T. (182) 9
Thornton, A.R.D., Kimm, L. and Kennedy, C.R.
Methodological factors involved in neonatal screening using transient-evoked otoacoustic emissions and automated auditory brainstem response testing (182) 65
Troiani, D., see Sergi, B. (182) 56

Valentini, G., see de Balthasar, C. (182) 77
Vicente-Torres, M.A., Dávila, D., Bartolomé, M.V., Carricondo, F. and Gil-Loyzaga, P.
Biochemical evidence for the presence of serotonin transporters in the rat cochlea (182) 43

Winter, E., see Mazurek, B. (182) 2
Wysocki, L.E., see Ladich, F. (182) 119

Yamashita, H., see Sugahara, K. (182) 88

ELSEVIER

Hearing Research 182 (2003) 166–168

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 182

ABR
Ototoxicity; Carboplatin; Cisplatin; Otoacoustic emissions; Distortion products; DPOAEs (Hatzopoulos, S. (182) 48)

Accessory hearing structure
Auditory sensitivity; Weberian ossicle; Hearing loss; Auditory evoked potential; Noise exposure (Ladich, F. (182) 119)

Antiestrogen
Estrogen; Estrogen receptor; Inner ear; Hearing; Ovariectomized rat (Stenberg, A.E. (182) 19)

Aquaporin-2
Vasopressin type-2 antagonist; OPC-31260; Endolymphatic hydrops; Meniere's disease; Vasopressin (Takeda, T. (182) 9)

Auditory evoked potential
Auditory sensitivity; Weberian ossicle; Hearing loss; Accessory hearing structure; Noise exposure (Ladich, F. (182) 119)

Auditory nerve
Complex sounds (Sinex, D.G. (182) 130)

Auditory receptor
Serotonergic innervation; 6-Nitroquipazine; Uptake inhibition; Serotonin transporter (Vicente-Torres, M.A. (182) 43)

Auditory sensitivity
Weberian ossicle; Hearing loss; Accessory hearing structure; Auditory evoked potential; Noise exposure (Ladich, F. (182) 119)

Automated ABR
Neonatal screening; Hearing loss; Otoacoustic emissions; Universal screen (Thornton, A.R.D. (182) 65)

Carboplatin
Ototoxicity; Cisplatin; Otoacoustic emissions; Distortion products; DPOAEs; ABR (Hatzopoulos, S. (182) 48)

Cell death
Hair cells; Heat shock factor; Heat shock protein; Hyperthermia; Noise injury (Sugahara, K. (182) 88)

Channel interactions
Cochlear implants; Electrical stimulation; Psychophysics (de Balthasar, C. (182) 77)

Cisplatin
Ototoxicity; Carboplatin; Otoacoustic emissions; Distortion products; DPOAEs; ABR (Hatzopoulos, S. (182) 48)

Inner ear; Ototoxicity; Vestibular ocular reflex; Compound action potential; Vestibular hair cell; Cochlear hair cell (Sergi, B. (182) 56)

Cochlea
Corticosteroid; Perilymph; Round window; Pharmacokinetics; Inner ear drug delivery (Plontke, S.K.R. (182) 34)

Cochlear aqueduct
Round window; Drug delivery (Salt, A.N. (182) 24)

Cochlear hair cell
Inner ear; Cisplatin; Ototoxicity; Vestibular ocular reflex; Compound action potential; Vestibular hair cell (Sergi, B. (182) 56)

Cochlear implant
Toad; Sciatic nerve; Cochlear nerve; Model (Morse, R.P. (182) 97)

Cochlear implants
Electrical stimulation; Channel interactions; Psychophysics (de Balthasar, C. (182) 77)

Cochlear nerve
Cochlear implant; Toad; Sciatic nerve; Model (Morse, R.P. (182) 97)

Complex sounds
Auditory nerve (Sinex, D.G. (182) 130)

Complex tone
Frequency discrimination; Fundamental frequency discrimination; Pitch of complex tone; Hearing impairment (Moore, B.C.J. (182) 153)

Compound action potential
Inner ear; Cisplatin; Ototoxicity; Vestibular ocular reflex; Vestibular hair cell; Cochlear hair cell (Sergi, B. (182) 56)

Corticosteroid
Cochlea; Perilymph; Round window; Pharmacokinetics; Inner ear drug delivery (Plontke, S.K.R. (182) 34)

Distortion products
Ototoxicity; Carboplatin; Cisplatin; Otoacoustic emissions; DPOAEs; ABR (Hatzopoulos, S. (182) 48)

Distortion-product otoacoustic emission
$2f_1-f_2$; Rapid adaptation; Medial olivocochlear efferent system; Humans (Bassim, M.K. (182) 140)

DPOAEs
Ototoxicity; Carboplatin; Cisplatin; Otoacoustic emissions; Distortion products; ABR (Hatzopoulos, S. (182) 48)

doi:10.1016/S0378-5955(03)00248-X

Drug delivery
Round window; Cochlear aqueduct (Salt, A.N. (182) 24)

Electrical stimulation
Cochlear implants; Channel interactions; Psychophysics (de Balthasar, C. (182) 77)

Endolymphatic hydrops
Vasopressin type-2 antagonist; OPC-31260; Aquaporin-2; Meniere's disease; Vasopressin (Takeda, T. (182) 9)

Estrogen
Antiestrogen; Estrogen receptor; Inner ear; Hearing; Ovariectomized rat (Stenberg, A.E. (182) 19)

Estrogen receptor
Estrogen; Antiestrogen; Inner ear; Hearing; Ovariectomized rat (Stenberg, A.E. (182) 19)

$2f_1$–f_2
Distortion-product otoacoustic emission; Rapid adaptation; Medial olivocochlear efferent system; Humans (Bassim, M.K. (182) 140)

Frequency discrimination
Complex tone; Fundamental frequency discrimination; Pitch of complex tone; Hearing impairment (Moore, B.C.J. (182) 153)

Fundamental frequency discrimination
Frequency discrimination; Complex tone; Pitch of complex tone; Hearing impairment (Moore, B.C.J. (182) 153)

Hair cell damage
Hypoxia; Ischemia; Rat; In vitro model (Mazurek, B. (182) 2)

Hair cells
Cell death; Heat shock factor; Heat shock protein; Hyperthermia; Noise injury (Sugahara, K. (182) 88)

Hearing
Estrogen; Antiestrogen; Estrogen receptor; Inner ear; Ovariectomized rat (Stenberg, A.E. (182) 19)

Hearing impairment
Frequency discrimination; Complex tone; Fundamental frequency discrimination; Pitch of complex tone (Moore, B.C.J. (182) 153)

Hearing loss
Neonatal screening; Otoacoustic emissions; Automated ABR; Universal screen (Thornton, A.R.D. (182) 65)

Auditory sensitivity; Weberian ossicle; Accessory hearing structure; Auditory evoked potential; Noise exposure (Ladich, F. (182) 119)

Heat shock factor
Cell death; Hair cells; Heat shock protein; Hyperthermia; Noise injury (Sugahara, K. (182) 88)

Heat shock protein
Cell death; Hair cells; Heat shock factor; Hyperthermia; Noise injury (Sugahara, K. (182) 88)

Humans
$2f_1$–f_2; Distortion-product otoacoustic emission; Rapid adaptation; Medial olivocochlear efferent system (Bassim, M.K. (182) 140)

Hyperthermia
Cell death; Hair cells; Heat shock factor; Heat shock protein; Noise injury (Sugahara, K. (182) 88)

Hypoxia
Ischemia; Hair cell damage; Rat; In vitro model (Mazurek, B. (182) 2)

In vitro model
Hypoxia; Ischemia; Hair cell damage; Rat (Mazurek, B. (182) 2)

Inner ear
Estrogen; Antiestrogen; Estrogen receptor; Hearing; Ovariectomized rat (Stenberg, A.E. (182) 19)

Cisplatin; Ototoxicity; Vestibular ocular reflex; Compound action potential; Vestibular hair cell; Cochlear hair cell (Sergi, B. (182) 56)

Inner ear drug delivery
Cochlea; Corticosteroid; Perilymph; Round window; Pharmacokinetics (Plontke, S.K.R. (182) 34)

Ischemia
Hypoxia; Hair cell damage; Rat; In vitro model (Mazurek, B. (182) 2)

Medial olivocochlear efferent system
$2f_1$–f_2; Distortion-product otoacoustic emission; Rapid adaptation; Humans (Bassim, M.K. (182) 140)

Meniere's disease
Vasopressin type-2 antagonist; OPC-31260; Aquaporin-2; Endolymphatic hydrops; Vasopressin (Takeda, T. (182) 9)

Model
Cochlear implant; Toad; Sciatic nerve; Cochlear nerve (Morse, R.P. (182) 97)

Neonatal screening
Hearing loss; Otoacoustic emissions; Automated ABR; Universal screen (Thornton, A.R.D. (182) 65)

6-Nitroquipazine
Serotonergic innervation; Auditory receptor; Uptake inhibition; Serotonin transporter (Vicente-Torres, M.A. (182) 43)

Noise exposure
Auditory sensitivity; Weberian ossicle; Hearing loss; Accessory hearing structure; Auditory evoked potential (Ladich, F. (182) 119)

Noise injury
Cell death; Hair cells; Heat shock factor; Heat shock protein; Hyperthermia (Sugahara, K. (182) 88)

OPC-31260
Vasopressin type-2 antagonist; Aquaporin-2; Endolymphatic hydrops; Meniere's disease; Vasopressin (Takeda, T. (182) 9)

Otoacoustic emissions
Ototoxicity; Carboplatin; Cisplatin; Distortion products; DPOAEs; ABR (Hatzopoulos, S. (182) 48)

Neonatal screening; Hearing loss; Automated ABR; Universal screen (Thornton, A.R.D. (182) 65)

Ototoxicity
Carboplatin; Cisplatin; Otoacoustic emissions; Distortion products; DPOAEs; ABR (Hatzopoulos, S. (182) 48)

Inner ear; Cisplatin; Vestibular ocular reflex; Compound action potential; Vestibular hair cell; Cochlear hair cell (Sergi, B. (182) 56)

Ovariectomized rat
Estrogen; Antiestrogen; Estrogen receptor; Inner ear; Hearing (Stenberg, A.E. (182) 19)

Perilymph
Cochlea; Corticosteroid; Round window; Pharmacokinetics; Inner ear drug delivery (Plontke, S.K.R. (182) 34)

Pharmacokinetics
Cochlea; Corticosteroid; Perilymph; Round window; Inner ear drug delivery (Plontke, S.K.R. (182) 34)

Pitch of complex tone
Frequency discrimination; Complex tone; Fundamental frequency discrimination; Hearing impairment (Moore, B.C.J. (182) 153)

Psychophysics
Cochlear implants; Electrical stimulation; Channel interactions (de Balthasar, C. (182) 77)

Rapid adaptation
$2f_1$–f_2; Distortion-product otoacoustic emission; Medial olivocochlear efferent system; Humans (Bassim, M.K. (182) 140)

Rat
Hypoxia; Ischemia; Hair cell damage; In vitro model (Mazurek, B. (182) 2)

Round window
Drug delivery; Cochlear aqueduct (Salt, A.N. (182) 24)

Cochlea; Corticosteroid; Perilymph; Pharmacokinetics; Inner ear drug delivery (Plontke, S.K.R. (182) 34)

Sciatic nerve
Cochlear implant; Toad; Cochlear nerve; Model (Morse, R.P. (182) 97)

Serotonergic innervation
Auditory receptor; 6-Nitroquipazine; Uptake inhibition; Serotonin transporter (Vicente-Torres, M.A. (182) 43)

Serotonin transporter
Serotonergic innervation; Auditory receptor; 6-Nitroquipazine; Uptake inhibition (Vicente-Torres, M.A. (182) 43)

Toad
Cochlear implant; Sciatic nerve; Cochlear nerve; Model (Morse, R.P. (182) 97)

Universal screen
Neonatal screening; Hearing loss; Otoacoustic emissions; Automated ABR (Thornton, A.R.D. (182) 65)

Uptake inhibition
Serotonergic innervation; Auditory receptor; 6-Nitroquipazine; Serotonin transporter (Vicente-Torres, M.A. (182) 43)

Vasopressin
Vasopressin type-2 antagonist; OPC-31260; Aquaporin-2; Endolymphatic hydrops; Meniere's disease (Takeda, T. (182) 9)

Vasopressin type-2 antagonist
OPC-31260; Aquaporin-2; Endolymphatic hydrops; Meniere's disease; Vasopressin (Takeda, T. (182) 9)

Vestibular hair cell
Inner ear; Cisplatin; Ototoxicity; Vestibular ocular reflex; Compound action potential; Cochlear hair cell (Sergi, B. (182) 56)

Vestibular ocular reflex
Inner ear; Cisplatin; Ototoxicity; Compound action potential; Vestibular hair cell; Cochlear hair cell (Sergi, B. (182) 56)

Weberian ossicle
Auditory sensitivity; Hearing loss; Accessory hearing structure; Auditory evoked potential; Noise exposure (Ladich, F. (182) 119)